

Rush

Work Order ID 166486

166486

Page 1

Monday, September 25, 2017 8:57:53 AM

Item ID: D412-760-019

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Cabin Floor Protector (seat rail compatible)

Start Date: 9/25/2017 Start Qty: 1.00

1

Cust Item ID:

Required Date: 9/29/2017 Req'd Qty: 1.00

1

Customer:

Reference: S/O 132486

Approvals: Process Plan: LM

Date: 17/9/25

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

DAS

6

9-89

IIN-D412-760

G

100

Document Control

0.00

100

DOCUMENT CONTROL

DC

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile & type labels per PPP D412-760-019/DSI 9523 CHG002

DAS

27

9-89

SEP 26 2017

110

Pick Kit

0.00

110

Packaging

Memo

0.00

Packaging

SEP 25 2017

DAS

28

9-89

120

QC4- 100% Inspect kits for completeness

0.00

120

QC

Memo

0.00

Quality Control

DAS

27

9-89

SEP 25 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Work Order ID 166486***166486***

Page 2

Monday, September 25, 2017 8:57:53 AM

Item ID: D412-760-019

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Cabin Floor Protector (seat rail compatible)

Start Date: 9/25/2017 Start Qty: 1.00

1

Cust Item ID:

Required Date: 9/29/2017 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

Identify as per dwg & Stock Location: _____
Packaging

0.00

130

Packaging

Memo

0.00

Identify and pack for shipping as per PPP D412-760-019/DSI 9523

Location: _____

PPP Rev: _____

Sold

DAS
27

9-89

SEP 26 2017

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

0.00

Quality Control

DAS
21
9-89

SEP 26 2017

UY 17/9/26

DAS
21
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Monday, September 25, 2017 8:57:52 AM

Work Order ID: 166486

166486

Parent Item: D412-760-019

D412-760-019

Parent Item Name: Cabin Floor Protector (seat rail compatible)

Start Date: 9/25/2017

Required Date: 9/29/2017

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A 10.06.04 new issue DD verf:JLM
10.10.20 as per DSI9523 revB DD verf:JLM

IPP Rev:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D4122-1		Manufactured	No			110	Each	0.0000	1	1			
---------	--	--------------	----	--	--	-----	------	--------	---	---	--	--	--

D4122-1

Floor Protector, Fwd

D4122-3		Manufactured	No			110	Each	0.0000	1	1			
---------	--	--------------	----	--	--	-----	------	--------	---	---	--	--	--

D4122-3

Floor Protector, Aft

D3580-1		Manufactured	No			110	Each	32.0000	6	6			
---------	--	--------------	----	--	--	-----	------	---------	---	---	--	--	--

D3580-1

Joggle Bracket

Location

Loc Qty

Loc Code

ST040

32

163915

12

164724

20

D3628-1		Manufactured	No			110	Each	395.0000	10	10			
---------	--	--------------	----	--	--	-----	------	----------	----	----	--	--	--

D3628-1

Washer, Cupped

Location

Loc Qty

Loc Code

FG

10

83587

10

ST044

135

151898

135

ST051A

250

164007

250

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

5.0 PARTS LIST

Qty -011	Qty -013	Qty -015	Qty -017	Qty -019	Part Number	Description
X					D412-760-011	CABIN FLOOR PROTECTOR KIT
	X				D412-760-013	CABIN FLOOR PROTECTOR KIT
		X			D412-760-015	CABIN FLOOR PROTECTOR KIT
			X		D412-760-017	CABIN FLOOR PROTECTOR KIT
				X	D412-760-019	CABIN FLOOR PROTECTOR KIT
1					D3574-1	CABIN FLOOR PROTECTOR
1					D3574-2	CABIN FLOOR PROTECTOR
	1				D3574-3	CABIN FLOOR PROTECTOR
	1				D3574-4	CABIN FLOOR PROTECTOR
		1			D3574-5	CABIN FLOOR PROTECTOR
		1			D3574-6	CABIN FLOOR PROTECTOR
1					D3575-1	CABIN FLOOR PROTECTOR
1					D3575-2	CABIN FLOOR PROTECTOR
	1				D3575-3	CABIN FLOOR PROTECTOR
	1				D3575-4	CABIN FLOOR PROTECTOR
		1			D3575-5	CABIN FLOOR PROTECTOR
		1			D3575-6	CABIN FLOOR PROTECTOR
6	4	6	6	6	D3580-1	JOGGLE BRACKET
			1		D3788-1	CABIN FLOOR PROTECTOR
			1		D3788-2	CABIN FLOOR PROTECTOR
			1		D3788-3	CABIN FLOOR PROTECTOR
			1		D3788-4	CABIN FLOOR PROTECTOR
14	40	14	14	10	D3628-1	CUPPED WASHER
6	8	6	6		D3628-3	CUPPED WASHER
				1	D4122-1	FLOOR PROTECTOR, FORWARD
				1	D4122-3	FLOOR PROTECTOR, AFT
28		28	28		NAS1149D0363J	WASHER (AN960JD10)
12		12	12		NAS1149D0463J	WASHER (AN960JD416)
14		14	14		MS24694S54	SCREW
6		6	6		MS24694S100	SCREW

• COPYRIGHT © 2007 BY DART AEROSPACE LTD •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: G

Date: 13.01.03